

18/04/05

<b>Copydex Adhesive</b>	<table> <tr> <td>Issue Date</td><td>8/4/02 17:31</td></tr> <tr> <td>Supply Date</td><td>2/9/02 13:10</td></tr> <tr> <td>Ref</td><td>copydex</td></tr> </table>	Issue Date	8/4/02 17:31	Supply Date	2/9/02 13:10	Ref	copydex
Issue Date	8/4/02 17:31						
Supply Date	2/9/02 13:10						
Ref	copydex						

1. Identification of the	<b>1.1 substance/ preparation</b> Copydex Adhesive. Adhesive for paper, cork, fabric etc.
And	<b>1.2 company/ undertaking</b> Henkel Consumer Adhesives Road 5 Winsford Industrial Estate Winsford Cheshire United Kingdom  Tel 01606 593933 Fax 01606 863762
2. Composition/ information on ingredients	Aqueous adhesive compounded from natural rubber latex emulsion.
3. Hazards identification	<b>3.1 Inhalation:</b> Contains low levels of ammonia that may give unpleasant odour if used in large quantities in poorly ventilated areas.
	<b>3.2 Ingestion:</b>
	<b>3.3 Skin and eye contact:</b>
	<b>3.4 Chemical and Physical:</b>
	<b>3.5 Environmental:</b>
4. First aid measures	<b>4.1 Inhalation</b>
	<b>4.2 Skin Contact</b> Rinse skin with water, remove contaminated clothing.
	<b>4.3 Ingestion</b> Small amount - drink water. Large quantity - seek medical attention.
	<b>4.4 Eye contact</b> Flush with water, may cause irritation. Seek medical attention if irritation persists.
5. Fire fighting measures	N/A

# Copydex Adhesive

Issue Date 8/4/02 17:31  
Supply Date 2/9/02  
13:10

Ref copydex

6. Accidental release measures	Increase ventilation to prevent build up of ammonia. Soak up with sand/sawdust etc. and dispose of in accordance with local regulations. Flush away residual traces with water.
7. Handling and storage	Store in dry location between 5° - 30°C.
8. Exposure controls/ personal protection	<p>8.1 Exposure Controls</p> <p>8.2 Personal Protection</p> <p>8.2.1 Respiratory protection</p> <p>8.2.2 Hand protection</p> <p>8.2.3 Eye protection</p> <p>8.2.4 Skin protection</p>
9. Physical and Chemical Properties	<p>Appearance Off white/cream liquid.</p> <p>Odour Light ammonia.</p> <p>Density 0.94.</p> <p>pH or Conc % 10.</p> <p>Boiling Point°C 100°C.</p> <p>Flash point °C</p> <p>Auto flammability</p> <p>Explosive/Oxidising properties</p> <p>Vapour Pressure KPa 23m bar.</p> <p>Vapour Density</p> <p>Evaporation rate</p> <p>Solubility Miscible in water (alkaline).</p> <p>Partition Co-efficient: n-Octanol/water</p> <p>Melting Point°C</p> <p>Flammability</p>
10 Stability and reactivity	
11. Toxicological Information	
12. Ecological Information	
13. Disposal Considerations	
14. Transport Information	<p>CDGCPL Classification</p> <p>Secondary hazard</p> <p>UN No</p> <p>UN Class / UK CLS No</p> <p>Hazard Identification No</p> <p>Packing Group</p> <p>Hazchem / EAC</p> <p>IMDG/ADR/RID</p>

15. Regulatory Information	<b>15.1 CHIP</b> <i>Primary Risk</i> <i>Secondary Risk</i> <i>Risk Phrases</i> <i>Safety Phrases</i> <i>EC Substance Number</i>
	<b>15.2 Applicable Regulations</b>  <b>CHIP</b> <b>CDGCPL</b> <b>HSWA 1974</b> <b>COSHH</b>  <b>EH 40/-</b> See 1995 Edition <b>Manual Handling Regulations</b> The user must make their own assessment of the applicability of these regulations to the product. <b>Personal Protective Equipment at Work Regulations</b> The users must make their own final assessment of the suitability of equipment for the specific end use <b>The Controlled Waste Regulations</b> Users must assess their own obligations under these regulations. <b>VOC Content</b>
16 Other Information	<b>16.1 Poisons Centres</b> Henkel Products are registered with the National Poisons Information Service from whom medical professionals can obtain further information.
	<b>16.2 Revision Data</b> All sections were rewritten in this issue
	<b>16.3 Sources of information</b> Suppliers data sheets, and general reference books.
	<b>16.4 Restrictions of use</b>
	<b>16.5 Disclaimer</b> Every effort has been made to ensure that this information is accurate and up to date. Users are reminded that they should ensure that they have retained or internally circulated the most up to date copy as provided to the persons or work locations which require them. No warranty is implied or given as to suitability for use for any activity which is not covered by either the technical data or the restrictions of use above.
	<b>Produced by:</b> Technical Services Department. Winsford. Cheshire