

# SAFETY DATA SHEET

MACHINE FABRIC DYE 02 LILAC

Page 1 Issued: 27/09/2005 Revision No:

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: MACHINE FABRIC DYE 02 LILAC

Product code: MFD02

Synonyms: TEINTURE GRAND TEINT MACHINE (FRA) TEXTILFARBE WASCHMASCHINE (D, CH) TEINTURE EN MACHINE / STOFFENVERF VOOR MACHINE (B) TEKSTILFARGE (NOR) TINTE TEXTIL PARA LAVADORA (ESP) TINTURA IN LAVATRICE (ITA) MASKINFÄRG (SV) PESUKONEVÄRI VÄRINPITÄVÄ TEKSTIILIVÄRI (SUOMI) KLEURVASTE TEXTILVERF (NL)

Use / description of product: 200 g carton.

Company name: Dylon International Ltd Worsley Bridge Road Lower Sydenham

- London
- SE26 5HD
- UK
- Tel: (+44) 020 8663 4801
- Fax: (+44) 020 8658 6735

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SODIUM CARBONATE >95%

EINECS: 207-838-8 CAS: 497-19-8

[Xi] R36

### 3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes.

### 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: Exposure may cause coughing or wheezing.

### 4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

Issued: 27/09/2005

# SAFETY DATA SHEET

MACHINE FABRIC DYE 02 LILAC

Page 2

5. FIRE-FIGHTING MEASU	JRES
	Suitable extinguishing media for the surrounding fire should be used.
	In combustion emits toxic fumes of carbon dioxide.
•	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin
0	and eyes.
6. ACCIDENTAL RELEAS	•
Personal precautions:	Refer to section 8 of SDS for personal protection details. Do not create dust.
Environmental precautions:	Do not discharge into drains or rivers.
Clean-up procedures:	Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash
	the spillage site with large amounts of water.
7. HANDLING AND STOR	AGE
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do
	not handle in a confined space. Avoid the formation or spread of dust in the air.
Storage conditions:	Store in cool, well ventilated area.
8. EXPOSURE CONTROL	S / PERSONAL PROTECTION
Respirable dust	
WEL (8 hr exposure limit):	4 mg/m3
WEL (15 min exposure limit):	
Engineering measures:	Ensure there is sufficient ventilation of the area.
Hand protection:	Gloves (alkali-resistant). Nitrile gloves. Rubber gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
9. PHYSICAL AND CHEMI	ICAL PROPERTIES
State:	Powder
Colour:	Lilac
Odour:	Barely perceptible odour
Solubility in water:	Highly soluble
pH:	11 (10 g/l)
10. STABILITY AND REAC	TIVITY
Stability:	Stable under normal conditions.
Materials to avoid:	Strong acids.
	Contact with acids liberates toxic gas.
Haz. decomp. products:	
Haz. decomp. products: 11. TOXICOLOGICAL INFO	ORMATION

### SAFETY DATA SHEET

MACHINE FABRIC DYE 02 LILAC

Page 3

# ORL RAT LD50 4090 mg/kg

SCU MUS LD50 2210 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

### 12. ECOLOGICAL INFORMATION

Persistence and degradability:No data available.Bioaccumulative potential:No bioaccumulation potential.Other adverse effects:Negligible ecotoxicity.

### 13. DISPOSAL CONSIDERATIONS

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### **14. TRANSPORT INFORMATION**

ADR / RID

UN no: -

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

IMDG / IMO

UN no: -

IATA / ICAO

UN no: -

### **15. REGULATORY INFORMATION**

Hazard symbols: Irritant.



Risk phrases: R36: Irritating to eyes.

Safety phrases: S2: Keep out of the reach of children.

S22: Do not breathe dust.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S46: If swallowed, seek medical advice immediately and show this container or label.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Issued: 27/09/2005

### SAFETY DATA SHEET

MACHINE FABRIC DYE 02 LILAC

Page 4

### **16. OTHER INFORMATION**

Other information:This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.Risk phrases used in s.2:R36: Irritating to eyes.Legal disclaimer:The above information is believed to be correct but does not purport to be all inclusive and shall<br/>be used only as a guide. This company shall not be held liable for any damage resulting from<br/>handling or from contact with the above product.