Material Trade Name Vermiculite (Exfoliated Vermiculite)

Issue / Revision Date

April 2004

Revision number 9

1 <u>IDENTIFICATION OF SUBSTANCE AND COMPANY</u>

Substance Identification

Exfoliated Vermiculite Cas. no. 1318-00-9

Substance Use

Acoustic insulation.

Pipe and duct insulation.

Plasters and fireproofing.

Friction Linings.

Packaging

Horticulture.

Refractory Applications.

Lightweight concretes and screeds.

High Temperature Insulation.

Chimney Lining.

Back fill for Firebacks.

Loose fill insulation.

Liquid wastes absorbent :- Oils, Acids, Alkalis,

Middles.

Nuclear Residues & Toxic chemicals.

Company Identification

Silvaperl Ltd Albion Works Ropery Road Gainsborough Lincs DN21 2QB 01427 610160

2 COMPOSITION

The material is a complex magnesium aluminium iron silicate. A heat processed inorganic, inert material that does not constitute any known health hazard and is non-combustible.

3 HAZARD IDENTIFICATION

Not classified as hazardous under The CHIP regulations 1994. Hazard symbols - none required.

4 FIRST AID MEASURE

Inhalation:

Move to fresh air and rest, if recovery is not rapid obtain prompt

medical attention.

Skin Contact:

Rinse contaminated area with water (non irritant).

Eye Contact:

Rinse with soft water for at least 15 minutes.

Ingestion:

Rinse mouth and drink water, not harmful.

Exfoliated Vermiculite is used as a carrier in Animal Feedstuffs.

5 FIRE FIGHTING

Non-combustible:

Will not give off noxious fumes. Fusion point 1330deg C.

However, when used as an absorbent with flammable liquids, exfoliated Vermiculite will not render the fluids non-flammable and saturated absorbent containing flammable spillage should be

removed and disposed of promptly.

Suitable Extinguishers:

Exfoliated Vermiculite is a non-combustible material.

Unsuitable Extinguishers:

Not applicable.

Hazardous Decomposition:

Not applicable

Special Procedures:

Not applicable.

6 ACCIDENTAL RELEASE MEASURES (Spillage)

Sweep spilled substances into covered containers: if appropriate moisten first to prevent dusting (extra personal protection P I filter respirator for inert particles).

7 HANDLING AND STORAGE

Handling

Use suitable handling procedures to minimise nuisance dust. If

dust levels become excessive wear goggles and dust masks to BS4275. When wet exfoliated Vermiculite becomes slippery.

Storage

Under cover in a dry area.

8 EXPOSURE CONTROLS / PERSONNEL PROTECTION

Occupational Exposure Limit

LTEL: 10 mg/M3 (Inh), 1 mg/M3 (Resp). 8 hr TWA.

(Inh = Inhalable Dust. Resp = Respirable dust)

Biological Exposure Limited

Not applicable.

Personnel Protective Equipment Use a nuisa

Use a nuisance Dust Mask when OEL is likely to be

exceeded.

Use in well ventilated areas.

9 PHYSICAL AND CHEMICAL PROPERTIES

Typical Chemical Analysis

PHYSICAL PROPERTIES

SILICA	(as Si02)	37-40%
MAGNESIUM	(as Mg0)	21-29%
ALUMINUM	(as Al203)	6-10%
FERRIC OXIDE	(as Fe203)	4-8%
POTASSIUM	(as K20)	3-6%
CALCIUM	(as Ca0)	1-4%
CARBON	(as C02)	0-2%
Appearance	Golden Brown	
Odour	Odourless	Ä
pН	7-10	# "
Boiling Point	Not applicable	,
Flash Point	Not applicable	ϵ
Melting Point Range	1330 deg C	
Flammability	Non Combustible	
Auton Flammability	Non Flammable	
Explosive Properties	Not Applicable	
Oxidising Properties	Not Applicable	
Vapour Pressure	Not Applicable	
Relative Density	2.5 (Typical Bu	lk Density loose 50 - 110 (kg/M3)
Solubility	Water Insoluble	
Partition co-efficient	Not Applicable	
Miscibility	Not Applicable	
Vapour Density	Not Applicable	
Evaporation Rate	Not Applicable	
Viscosity	Not Applicable	

10 STABILITY & REACTIVITY

Stability

Stable

Hazardous Polymerisation

Will not Occur

Material to Avoid

Acids (*See Footnote)

morning

Hazardous Decomposition Products None known

11 TOXICOLOGICAL INFORMATION

Chronic Effects

None Known

No toxic effect known including sensitisation, narcosis or carcinogenicity

12 ECOLOGICAL INFORMATION

No Adverse Environmental Effects Foreseen Not Readily Biodegradable Not expected to Bioaccumulate Aquatic Environment - Not Expected to be Toxic Ozone Layer - No implication known.

13 <u>DISPOSAL CONSIDERATIONS</u>

Dispose of in Accordance with Local Authority Requirements, Landfill.

14 TRANSPORT INFORMATION

UN/SI Number	n/a
IMO	n/a
IATA/ICAO	n/a
ADR/RID	n/a
Packing Group	n/a
Item	n/a
Hazchem / Kemler Code	n/a
Marine Pollutant	No
DEBAT PROPERTY OF THE PROPERTY	

Transport Name UK Road: Non-Hazardous

No special precautions are required as Vermiculite is not classified as dangerous.

15 REGULATORY INFORMATION

UK Health and Safety At Work Act 1974

UK Environmental Protection Act 1990

HSE Guidance Note EH26(Occupational Skin Diseases - Health and Safety Precautions)

distant

HSE Guidance Note EH40 - occupational exposure limits.

UK Control of Substances Hazardous to Health Regulations 1988

ILO data sheet ICSC 1141

Construction Industry Advisory Committee Hazard Information Sheet One

16 OTHER INFORMATION

Compiled According to the CHIP Regulations 2002. (Directive 2001/158/EC).

* Re Stability & Reactivity. Material to avoid is quoted as being acids. It has been shown that prolonged contact with acids particularly at elevated temperatures does effect exfoliated Vermiculite, so this statement is technically correct. However for many years Vermiculite has been used without problem as a safe and effective material for the packaging of a wide range of acids and other hazardous chemicals.

Spillage's of acids into the Vermiculite packaging material are quickly and safely contained with only minor degradation of the Vermiculite, no hazardous reaction products are released from the Vermiculite during this process. Appropriate precautions however should be taken when handling all packaging material that have been contaminated with any in transit seepage of hazardous materials. *Also direct contact with ammonium Bifluoride and hydrofluoric acids must be avoided

This data sheet is compiled to be of assistance but without guarantee and is, to the best of the company's knowledge and belief, correct. Users are responsible for safe working.