

# Safety Data Sheet

#### **PRODUCT IDENTIFICATION**

**Color Magic Plus** Product **HSDS** Code 4472-03 **Product Use Coloured Car Wax's** Turtle Wax Limited, East Gillibrands, Skelmersdale, Lancashire, England, WN8 9TX **Contact Address Contact Numbers** Tel ; +44 (0) 1695 722 161 Fax ; +44 (0) 1695 716 621

#### **COMPOSITION / INFORMATION ON CONSTITUENTS** 2

#### Color Magic ®

1

Potentially hazardous constituents greater than 1% (or 0.2% for Aerosols) according to directive 2001-58-EC, CHIP 3

Chemical	Amount	CAS Number (s)	Einecs / EC Number	Risk Phrase(s)	Symbol (s)
None					
Chipstik ®					
Potentially hazardo Chemical	us constituents greate Amount	r than 1% (or 0.2% for CAS Number (s)	r Aerosols) according to d Einecs / EC Number	irective 2001-58-EC Risk Phrase(s)	, CHIP 3 Symbol (s)
UV ABSORBER	1.00 - 5.00%	3147 - 75 - 9	221 - 573 - 5	52/53,	Xn
PIGMENTS	5.00 - 15.00%	N/a		36/38	Xi
3 HAZAI	<b>RD INFORMATION</b>				

Not classified as hazardous under CHIP 3

See Section 15 for further information

4 FIR	RST AID MEASURES
Eye Contact	Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue rinsing for 15 minutes. Get medical attention if any discomfort continues.
Skin Contact	Wash with soap and water, and rinse thoroughly. If clothes are contaminated clean before re-use. If there is any irritation / discomfort of the skin seek medical attention.
Inhalation	N/a
Ingestion	Rinse mouth out with water and give large amounts of water or milk to people not unconcious. DO NOT INDUCE VOMITING. If discomfort continues, get medical attention

#### FIRE FIGHTING MEASURES

5

Suitable Extinction Media	Powder, Dry Chemicals, Sand, Water spray, fog or mist
Special Procedures	Containers close to fire should be removed or cooled with water. Use water to keep fire
	exposed containers cool and disperse vapours.
Avoid Using	Strong water jet
Special Hazard(s)	May burn to give off carbon monoxide and carbon dioxide
6 ACCIDENTAL REL	EASE MEASURES

#### ACCIDENTAL RELEASE MEASURES

Personal Precautions	See Section 15 for Safety Warnings wear suitable protective clothing for removal of product.
<b>Environmental Precautions</b>	DO NOT discharge into surface water or ground water drains
Cleaning Methods	Mop up excess and dispose off in accordance to local regulations

#### 7 HANDLING AND STORAGE

Handling May stain skin and clothes

Store in a cool place out of direct sunlight, and avoid temperature of above 35°C Storage



## 8 EXPOSURE CONTROL/PERSONAL PROTECTION

For industrial users follow your own CoSHH assessment for this product.

<b>Ingredient Name</b> N/a	CAS Number	STD	LT exp (8hrs)	St exp (15 min)
Comments	OES = Occupations Exp	osure Standard		
Protective Equipment	N/a			
Ventilation	N/a			
Respirators	N/a			
Gloves	N/a			
Eye Protection	N/a			
Other	N/a			
Hygienic Work Routine	DO NOT SMOKE IN W	ORK AREA, Wash hands aft	er use and before eating et	tc.

## PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Color Magic
	Chipstik
Colour	Various colours in range
<b>Odour / Fragrance</b>	Perfumed
pH (undiluted)	8.2 (average) - Color Magic ®
Flash point	N/a
Flammability	N/a
Vapour Pressure	N/a
Explosive characteristics	N/a
Boiling Point	100C
Melting Point	0C
Solubility	Readily soluble / dispersible in water – Color Magic ®
Density	1.04 – 1.06 @ 15C
<b>Evaporation Rate</b>	< 0.1 N Butyl Acetate = 1.0

## 10 STABILITY AND REACTIVITY

Conditions to avoid	Avoid frost or temperatures above 35°C
Materials to avoid	N/a
Hazardous decomposition products	Fire creates; vapours/ gases/ fumes of carbon monoxide and carbon dioxide

## 11 TOXICOLOGICAL INFORMATION

Health Hazards – General	N/a
Inhalation	N/a
Ingestion	N/a
Skin	N/a

## 12 ECOLOGICAL INFORMATION

#### **Color Magic ® Polish**

9

Ecotoxicity	No classification
Mobility	Water - soluble
	Soil; The product has only slight mobility in the soil and will evapourate
Persistence & Degradability	Readily bio-degradable
<b>Bio accumulative Potential</b>	Not likely to bioaccumulate
Other adverse affects	May colour area contaminated – will fade with time



Chipstik ®

Ecotoxicity Mobility	Not classified as eco-toxic Water insoluble Soil – immobile
Persistence & Degradability	Not Readily biodegradable
Bio accumulative Potential	Not likely to bio-accumulate
Other adverse affects	Treat as solid waste

## 13 DISPOSAL CONSIDERATIONS

Dispose with household refuse if the article has environmentally friendly package marking  $(\mathbf{O})$  otherwise take the waste to an approved site for disposal.

14 TF	RANSPORT		
ROAD (ADR)		SEA (IMDG)	
<b>UN Number</b>	N/A	UN Number	N/A
ADR Class	N/A	Class	N/A
Code	N/A	Marine Pollutant	N/A
		IMDG Page no;	N/A
Shipping Name	N/A		
Notes	Exempt from control as limited quantity provisions apply		
Shipping label			
	No label required		
15 RF	EGULATORY INFORMATION	I	

Product Label	No label required	
Risk Phrase(s)	N/a	
Safety Phrase(s)	S2 Keep out of reach of children	

## OTHER INFORMATION

#### **Risk Phrase information from Section 2**

R36/38 Irritant to eyes and skin

16

R52/53 Harmful to aquatic organisms may cause long term adverse effects in the aquatic environment.

You are recommended to refer to all international, national or local measures or requirements, which may apply. The attention of users is drawn to the possible existence of other requirements complementing these requirements.

This data sheet complements the technical instruction sheets / label, but does not replace them. The information it contains is based on our knowledge concerning the product on the date shown. It is given in good faith. Under no circumstances does it exempt users from knowing and applying all regulations governing their business. They shall take the precautions linked to how they the use the product at their sole responsibility.

Users are also forewarned about any hazards incurred when a product is used for any other purposes than those for which it is designed.