Date Issued: 05Jun2003

CLASSIFICATION: Extremely Flammable. Dangerous for the Environment (Symbol is not required).

SC Johnson Ltd. Frimley Green

Camberley, Surrey GU16 7AJ

Emergency Telephone: 01276-852000

Contact: Technical Manager

#### ------ 1 - PRODUCT IDENTIFICATION -------

BRAND NAME..... RAID Fly & Wasp Killer

USE OF THE PREPARATION. Insecticide PACK CODE............ 108060

DATE ISSUED..... 05Jun2003 SUPERSEDES DATE.... 01Apr 1999

CHANGES SINCE LAST..... Bar (■) in the left margin denotes a revision from previous REVISION MSDS. 3 Hazards identification. 5 Fire-fighting measures. 6

MSDS. 3 Hazards identification. 5 Fire-fighting measures. 6 Accidental release measures. 7 Handling and storage. 12

Ecological information. 15 Regulatory information.

#### ------ 2 - COMPOSITION/INFORMATION ON INGREDIENTS ------

INGREDIENT CAS NO.	EINECS	WEIGHT%	SYMBOL	R-PHRASES
BUTANE/PROPANE 68512-91-4	2709909	30-40	F+	R12
HEAVY PETROLEUM DISTILLATE 64742-48-9	2651503	5-10	Xn	R65 R66
TETRAMETHRIN 7696-12-0	2317116	<0.5	И	R50 R53
FRAGRANCE	-	< 0.5	Xi N	R43 R51 R53
PHENOTHRIN	2474045	<0.1	N	R50 R53

(R12) Extremely Flammable.

(R65) Harmful: may cause lung damage if swallowed.

(R66) Repeated exposure may cause skin dryness or cracking.

(R50) Very toxic to aquatic organisms.

(R53) May cause long term adverse effects in the aquatic

environment.

(R43) May cause sensitisation by skin contact.

(R51) Toxic to aquatic organisms.

#### ------ 3 - HAZARDS IDENTIFICATION (Also See Section 11 & 12) -------------------

SIGNS & SYMPTOMS:

INHALATION..... Spray mist, fog, or vapour may cause respiratory irritation.

Intentional misuse by deliberately concentrating and inhaling

contents can be harmful or fatal.

SKIN..... Prolonged contact may cause irritation. EYE..... Prolonged contact may cause irritation.

INGESTION..... May cause abdominal discomfort.

PHYSICO-CHEMICAL..... Extremely Flammable.

HAZARDS

ENVIRONMENTAL HAZARDS.. Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Date Issued: 05Jun2003

4 - FIRST AID MEASURES				
INHALATION	Remove patient to fresh air. If difficulty or discomfort is breathing is experienced, get medical attention.	a		
SKIN EYES	Wash affected area with plenty of soap and water.	plenty		
INGESTION		llow).		
5 - FIRE-FIGHTING MEASURES				
EXTINGUISHER	In case of fire use water spray or foam as appropriate to circumstances.	the		
	In case of fire and/or explosion do not breathe fumes.	a.		
SPECIAL HAZARDS OTHER WARNINGS				
6 - ACCIDENT	AL RELEASE MEASURES			
SPILL CONTROL	If damage occurs to aerosol can: Shut off all ignition sour Absorb spillage in suitable inert material. Do not absorb spillage in sawdust or other combustible material. Sweep or shovel-up spillage and remove to a safe place. Use non-sparequipment. Take precautionary measures against static	r		
PERSONAL PRECAUTIONS	discharges. Clean residue from spill site.			
ENVIRONMENTAL PROTECTION				
7 - HANDLING	AND STORAGE			
HANDLING	<u> </u>			
	contact with skin and eyes. Keep away from heat and sources ignition. Pressurized container; protect from sunlight and not expose to temperatures exceeding 50°C. Do not pierce of burn, even after use. Do not spray on or near naked flame incandescent material. Wash thoroughly after use.	do r or any		
STORAGE	Keep out of reach of children. Store away from food, beverand pet food. Keep away from heat and sources of ignition. Pressurised container: protect from sunlight and do not expect to temperatures exceeding 50 deg C. Keep container in a well-ventilated place.	pose		
CONDITIONS TO AVOID MATERIALS TO AVOID	Keep away from heat.			
8 - EXPOSURE CONTROLS/SPECIAL PROTECTION				
EXPOSURE CONTROL	Use only in well ventilated areas. May be necessary to contair contaminants to concentrations below listed occupations			
EXPOSURE LIMITS	exposure limits with local exhaust ventilation.			
INGREDIENT	8 Hour TWA 15 Minute TWA			

Date Issued: 05Jun2003

& EXPOSIDE	CONTROLS/SPECIAL PROTECTION (continued)			
HEAVY PETROLEUM DISTILLATE (CAS# 64742-48-9)	300 ppm Supplier recommended			
PROTECTIVE EQUIPMENT: RESPIRATORY HANDS/SKIN EYES GENERAL	No special requirements.			
y - FILISICAL	AND CHEMICAL FROFERITES			
COLOURPHYSICAL STATEODOUR	Aerosol. Characteristic odour. Not applicable.			
FLASH POINTEXPLOSIVE LIMITS %VOL				
10 - STABILIT	Y AND REACTIVITY			
STABILITY	conditions of use.			
MATERIALS TO AVOID HAZARDOUS DECOMPOSITION PRODUCTS				
11 - TOXICOL	OGY INFORMATION (Also See Section 3)			
ESTIMATED LD50 (Oral) ESTIMATED LD50 (Dermal) ESTIMATED LC50	>2 g/kg (intermediate)			
(Inhalation) INHALATION	contents can be harmful or fatal. Spray mist, fog, or vapour may cause respiratory irritation.			
SKIN EYES INGESTION	May cause irritation.			
12 - ECOLOGICAL INFORMATION				
ENVIRONMENTALCLASSIFICATION SUMMARY	according to Directive 1999/45/EC, as amended. Harmful to aquatic organisms. May cause long term adverse effects in the aquatic environment.  On the basis of available information this preparation is not expected to produce any significant adverse environmental			
	effects, when used as directed.			

Date Issued: 05Jun2003

13 DISPOSAL	CONSIDERATIONS					
	Disposal should be in accordance with local, state or national legislation.					
CONTAINER DISPOSAL	Dispose of empty aerosol containers with routine waste.					
14 - TRANSPOI	14 - TRANSPORT INFORMATION					
ROAD/RAIL (ADR/RID):						
ADR/RID PROPER SHIPPIN UN #	1950 2 2.2 Not applicable.					
SEA (IMDG):						
IMDG PROPER SHIPPING N UN #	UN1950 2 2.2 AEROSOLS. F-D S-U Not applicable. No. Limited quantities derogation may be applicable to this product, please check transport documents.					
AIR (ICAO/IATA):						
ICAO CLASS	Not determined.					
15 - REGULAT	ORY INFORMATION					
CLASSIFICATION & LABELLI	NG ACCORDING TO:					
	Eu. Dangerous Preparations Directive (99/45/EC) as amended. Aerosol Directive (75/324/EEC) as amended.					
	not required). (R12) Extremely Flammable. (R52/53) Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					
S PHRASES	(S2) Keep out of reach of children. (S16) Keep away from sources of ignition - No Smoking. (S51) Use only in well ventilated areas. (S23) Do not breathe spray/mists. Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on or near naked flame or any incandescent material.					

Date Issued: 05Jun2003

15 - REGULATORY INFORMATION (continued)				
EINECS/TSCA STATUS	All components are included in these inventories.			
16 - OTHER IN	FORMATION			
DETERGENT/CLEANER LABELLING (89/542/EEC)	Not relevant.			

The information herein is given in good faith. No warranty, expressed or implied is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. The information contained in this form is confidential and is submitted solely for your organisation's internal use. PRINT DATE: 15Jun2004